Attorney Docket No. TARA1170

Serial No. 09/759,868 Customer ID: 25094

3

IN THE CLAIMS:

Please amend the claims as follows:

- 1. (Currently Amended) A In a distributed computing system comprising a client coupled to a plurality of servers, a system to allocate one or more computing tasks among the a plurality of servers comprising:
 - a client <u>coupled to the plurality of servers</u> to request a computing task; a first server to allocate the computing task to a second server that executes the allocated computing task, wherein the allocation <u>of the computing task to the second server</u> is performed by matching an attribute of the second server with an attribute of the computing task.
- (Original) The system of claim 1, wherein the second server comprises a plurality of servers.
- (Original) The system of claim 1, wherein the first server comprises a plurality of servers.
- 4. (Original) The system of claim 1, wherein another server allocates the request to the first server.
- 5. (Original) The system of claim 1, wherein the attribute of the second server is load capacity.

Gray Cary\AU\4128829.1 2501122-991170 Attorney Docket No. TARA1170

4

Serial No. 09/759,868 Customer ID: 25094

- (Original) The system of claim 1, wherein the attribute of the second server is type of application residing on the server.
- (Original) The system of claim 1, wherein the attribute of the second server is idle computing power.
- 8. (Original) The system of claim 1, wherein the attribute of the second server is computing power.
- (Original) The system of claim 1, wherein the attribute of the second server is matched to an attribute of the client.
- 10. (Original) The system of claim 1, wherein the attribute of the second server is matched to an attribute of a user.
- (Currently Amended) The system of claim 1, further <u>comprising</u> comprises a database contained in the first server that stores the attributes of the second server.
- (Original) The system of claim 11, wherein the database is dynamically upgraded with a current attribute of the second server.
- (Currently Amended) The system of claim 1, further comprising comprises a database storing user attributes.

Attorney Docket No. TARA1170

Serial No. 09/759,868 Customer ID: 25094

5

- (Currently Amended) The system of claim 1, further comprising comprises a database storing computing task attributes.
- 15. (Currently Amended) A In a distributed computing system, a method for dynamic allocation of computing tasks comprising the steps of:

 receiving a computing task by a first server from a client; and allocating said computing task to a second server that executes said computing task, wherein the allocation is based on matching an attribute of the second server to an attribute of said computing task.
- 16. (Original) The method of claim 15, wherein the allocation is based on matching one or more attributes of the second server to a combination of computing task attributes, user preferences, and client attributes.
- 17. (Currently Amended) The method of claim 15, further comprising the step of dynamically updating a database that stores the attribute of the second server.

18-23. (Canceled)

24. (New) The method of claim 15, further comprising managing a set of servers including: creating a record of the attributes of a second set of servers in a database contained in a first set of servers; and updating said record in the database, wherein the second set of servers communicates its attributes to the first set of servers.

3.5

Attorney Docket No. TARA1170

Serial No. 09/759,868 Customer ID: 25094

6

- 25. (New) The method of claim 24, wherein the transfer of attributes is scheduled when an attribute changes.
- 26. (New) The method of claim 24, wherein the transfer of attributes is scheduled by a triggering event.
- 27. (New) The method of claim 24, wherein the transfer of attributes is scheduled periodically.
- 28. (New) The method of claim 24, further comprising the step of registering a server from the second set of servers with a server from the first set of server, wherein the transfer of attributes is from the registered second server to the corresponding first server.
- 29. (New) The method of claim 24, wherein the transfer of attributes is broadcasted to all the servers of the first set.